

## Pre-Install Checklist | Vinyl

Vinyl has come a long way in style and design. Offered in sheets, tiles and planks, today's vinyl floors offer superior styles with easy maintenance.

## Please be aware of the following that may exist before and after installation.

Bubbles	Dust will be generated from ripping up and removing existing floor coverings, cutting and installing the material and mixing grouts and adhesives. Our installers will do everything possible to minimize dust; however it is not possible to eliminate it. Weber Flooring /Joe's Carpet Outlet does not pay or reimburse for cleaning up dust.
Vinyl Tiles And Plank Floors	After your tile/stone is installed you may notice a haze from the grout. This is normal and can be buffed off after 24 hours. A lightly dampened sponge should remove the haze. Do not use household cleaners, ammonia, vinegar etc. on your tile/stone as it may permanently damage the finish. Please consult with your salesperson on cleaning and maintenance products.
Groutable Vinyl	Weber does not remove and reinstall pedestal sinks. It is recommended that if a toilet needs to be pulled and later reset that this be performed by a trained plumber. This is due to our experiences finding many of the toilets in need of maintenance or repair prior to installation. Weber will provide this service but since our flooring installers are not licensed plumbers- all leaks must be reported within 14 days after the toilets are reset for this service to be warranted.
Protection	Some natural stone products must be sealed. There are different sealers and polishes available. Sealing provides stain resistance, but they do not stain proof. Always test in an inconspicuous area first because certain sealers and polishes will darken natural stone. Please consult with your salesperson on these items.
Wall/Baseboards/Ceil Nail Pops	All tile and stone will vary in color and shading. Every time a tile is fired, its shading will vary depending on the color, style, body, and texture. Some tiles are sold as "highly shaded" and are marked as such in our showrooms. Natural products such as marble, granite and stone are guaranteed to show variations. Make sure you review your selection with your salesperson if variation is a concern.
Plumbing	Some tile and all natural stone will scratch under the right conditions. The higher the shine the more visible the scratches will be. Proper maintenance will help to reduce scratching. Putting protectors on chairs and furniture, keeping your floors swept and free of dirt and sand will help reduce scratching as well.
Floor Prep/Unforesee Subfloor Issues	n These products are designed to coordinate, not match your tile. They are made at different times and generally in different factories.
Preparation	Our installers will use caution while working in your home. However, some minor scratching and marking of the baseboards and walls can occur during removal and installation of your tile. Ceiling nail pops can occur while removing your existing flooring or installing your tile. Weber Flooring/Joe's Carpet Outlet is not responsible to fix nail pops nor do we reimburse for any repairs.
Electrical/Alarm Wires And Pipes	s Weber Flooring/Joe's Carpet Outlet is not responsible for cut, pierced or broken electrical/alarm wires or pipes that are improperly placed/ran in walls, along baseboards, under floors and not in accordance with your local building code.

You must be present when the installers arrive to review the job, confirm selections, colors, placement of decos/listellos and pay your balance. Weber Flooring/Joe's Carpet Outlet is not responsible for any claims due to color, placement or overall appearance once the tile is installed. Please understand an extra service charge may apply for any extra work incurred due to unforeseen problems with your subfloor/walls or lack of proper preparation leading to extra time spent on your job by the installers.

Notes: